



ConcealX Single Door Pivot Kit

CONCEALX

Pocket sliding door system for single leaf doors


Concealed, sliding pivot pocket door system.
Perfect for wardrobes, offices and kitchens.

This system is ideal for apartments or situations where space is at a premium. To be used in single door applications.

- Pre-assembled system.
- Quick and easy to install.



Maximum door panel weight of 50kg.




Smooth gliding action when operating



Featuring high quality components



Adjustable door ejection system




Pre-assembled system




Kits



One door system
= 1 - kit



Two door system
= 2 - kit



Three door system = 3 - kit



Call 01280 822 062

or order online at questhardware.co.uk



Specification


- Door heights and weights: 1200 - 1400mm = 30kg, 1990 - 2200mm = 30kg, 2200 - 2700mm = 50kg.
- Door thickness: 18 - 30mm.
- Door width: 200 - 700mm.
- Cabinet depth options: depth 1 = 560mm, depth 2 = 665mm.



Examples


Depth 1/560mm:

Using depth 1 kits




Depth 2/665mm:

Example applications using depth 1 kits



Depth calculator:

Lb = Cabinet Width Pd = ConcealX Depth
Pb = Cabinet Depth XP = Door leaf position
Lp = Door leaf width



Depth 1 Kit - 560mm

CODE	DESCRIPTION
700-500	1 Door Kit 1200-1400mm
700-501	1 Door Kit 1990-2200mm
700-502	1 Door Kit 2200-2700mm

Depth 2 Kit - 665mm


CODE	DESCRIPTION
700-503	1 Door Kit 1200-1400mm
700-504	1 Door Kit 1990-2200mm
700-505	1 Door Kit 2200-2700mm

Accessories


CODE	DESCRIPTION
700-604	Side Panel Connector Kit
700-710	Self Closing Mechanism
700-600	Central Pocket Connector Kit

Can be used for inlay, overlay or built in applications as illustrated below in various solutions.

With inlay doors




With overlay doors top and bottom



With built-in unit


Can be mounted in wall recess.




With central pocket for two doors

Use: side panel connector kit.


Max panel thickness 25mm for this application.



Optional Accessories



Side panel connector kit
700-604



Self closing mechanism
700-710



Call 01280 822 062

or order online at questhardware.co.uk



