



LED Lighting

LED LIGHTING

LED TAPES

7

PANEL LIGHTS & SPOTLIGHTS

12

LED DRIVERS

16

SENSORS


19

ALUMINIUM PROFILES

23

REMOTE CONTROLLERS & RECEIVERS

26






Transform any space or highlight key features in any room with our range of Select LED cabinet lighting.

Our cabinet lights are a versatile option that can be used to light up wardrobes, cupboards, under kitchen cabinets, and much more.

Configure your perfect lighting system in four simple steps:



Select Your LED Tapes



Select Your Driver



Select Your Sensors



Pick Your Accessories



SELECT CABINET LED LIGHTING



REFERENCES

COB

COB

COB or “Chip on Board” technology contains a high number of diodes on the same surface, making it extremely bright but keeping the energy consumption very low. It also has a high lumen-per-watt ratio and heat efficiency.

Features:

- Very high light output with low energy consumption.
- Wide beam angle for increased spread of light.
- Long lifespan.
- Minimal heat output.



RGB

Our RGB products allow you to select a light colour from every colour in the rainbow. This effect is stylish, versatile and relaxing.



IP65

IP65 is an International Protection (IP) rating that specifies the level of protection an enclosure provides against dust and water.

- 6 indicates that the enclosure is dust-tight, offering complete protection from dust ingress.
- 5 indicates protection against water jets from any direction, with no harmful effects.



Konnex System

Installing cabinet lighting is a whole lot easier with KONNEX plug and play system. KONNEX has been designed to alleviate stress and reduce installation times.

Features:

- Separate power lead makes it easier to route from power source to the fitting.
- Simply unplug the lead from the fitting if your customer wants to change the light.
- Individual components allows for easier troubleshooting.




CCT

CCT stands for ‘correlative colour temperature’ which indicates the colour appearance of a white LED. It is defined in Kelvins. When a product is CCT switchable, this means that it can be controlled to be 3000K warm white, 4000K natural white or 6000K daylight.



Smart Systems

LEDs connected with smart drivers are advanced lighting solutions. The smart driver acts as the bridge between the LED and the controlling system, enabling features like dimming, colour temperature adjustment, remote control, scheduling, and integration with home automation systems (e.g., Alexa, Philips Hue).



SELECT CABINET LED LIGHTING



SELECT COB LED TAPE

1 Lighting

2 Drivers

3 Sensors

4 Accessories

SELECT LED LIGHTING | COB LED TAPE

The Select COB LED Tape is a versatile option for ambient and task lighting. Available in 4.8W/m for softer illumination and 9.6W/m for brighter task-focused light, it features 480 LEDs per metre for a seamless, dotless appearance. Suitable for kitchens, wardrobes, and bathrooms (with IP-rated tapes), the tape is easily installed with 3M VHB adhesive and cuttable every 25mm.

Applications:

- **4.8W/m:** Ideal for ambient lighting in spaces like kitchen shelves, plinths, and feature displays.
- **9.6W/m:** Perfect for task lighting in workspaces, countertops, and wardrobe interiors requiring higher brightness.

Features & Benefits:

- **Dotless appearance:** Achieved with **480 LEDs per metre** for smooth and consistent illumination.
- **Lighting options:** Choose between **3000K Warm White** for a cosy feel or **4000K Natural White** for clean, bright environments.
- **Customisable lengths:** Available in 2.5m & 5m Lengths, cuttable every 25mm for tailored installations.
- **Durable and reliable:** High CRI >90 ensures accurate colour rendering.
- **Easy installation:** Secures easily with **3M VHB adhesive tape** for a professional finish.



Warm White
3000K



Natural White
4000K

COB

Chip on Board



Ambient Lighting


- 4.8w LED Tape

Warm White / 3000K

CODE	LENGTH
CFL610	2.5m
CFL612	5m

Natural White / 4000K

CODE	LENGTH
CFL611	2.5m
CFL613	5m



Task Lighting


- 9.6w LED Tape

Warm White / 3000K

CODE	LENGTH
CFL614	2.5m
CFL616	5m

Natural White / 4000K

CODE	LENGTH
CFL615	2.5m
CFL617	5m



LED LIGHTING

The **Select COB LED Tape (IP65)** is perfect for kitchens, bathrooms, and other areas needing durable, water-resistant lighting. Available in **4.8W/m** for ambient lighting and **9.6W/m** for task-focused brightness, it features **480 LEDs per metre** for a smooth, dotless finish. Easily mounted with **3M VHB adhesive** and cuttable every **25mm**, this tape delivers reliable and efficient lighting in damp environments.

Features & Benefits:

- **IP65 Rated:** Water-resistant for use in kitchens, bathrooms, or outdoor spaces.
- **Dotless illumination:** Achieved with **480 LEDs per metre** for a seamless light effect.
- **Lighting options:** Choose between **3000K Warm White** or **4000K Natural White** for tailored ambiance.
- **Customisable lengths:** Available in **5m rolls**, cuttable every **25mm** for precise installations.
- **Durable and reliable:** High **CRI >90** ensures accurate colour rendering.
- **Easy installation:** Secures easily with **3M VHB adhesive tape** for a professional finish.



Warm White
3000K



Natural White
4000K



International
Protection




Chip on Board



Ambient Lighting

- 4.8w LED Tape




CODE	COLOUR
CFL618	Warm White, 3000K
CFL619	Natural White, 4000K



Task Lighting

- 9.6w LED Tape



CODE	COLOUR
CFL620	Warm White, 3000K
CFL621	Natural White, 4000K

SELECT COB CCT LED TAPE

1 Lighting 2 Drivers 3 Sensors 4 Accessories

SELECT LED LIGHTING | COB CCT LED TAPE

The **12V 9.6W CCT COB LED Tape** offers adjustable colour temperatures from **2700K to 6000K**, delivering bright, dotless illumination with **608 LEDs per metre**. Ideal for task lighting, it ensures accurate colour rendering with a high **CRI >90**. Supplied in a **5m roll**, it's easy to install with **3M VHB adhesive tape** and cut every **13mm** for a tailored fit.

Features & Benefits:


- **Adjustable Light:** Switch between 2700K and 6000K for perfect ambience.
- **Seamless Illumination:** Achieved with 608 LEDs per metre.
- **Customisable lengths:** Cut points every 13mm for flexible installations.
- **High CRI >90:** Ensures accurate, vibrant colours.
- **Easy installation:** Durable 3M VHB adhesive backing.



■ 9.6w LED Tape

CCT
CCT
3000K-6000K

COB
Chip on
Board



CODE	LENGTH
CFL626	5m

Temperature control for CCT tape requires a CCT controller or Smart Driver for temperature control.

LED LIGHTING



Bring vibrant colour to your spaces with the 12v 14.4W RGB+ LED Tape, perfect for creating dynamic lighting effects in kitchens, bathrooms, or decorative settings. Featuring 60 LEDs per metre, the tape provides consistent and smooth illumination. It is IP65 rated for enhanced durability and can be easily tailored to your needs with cut points every 50mm.




■ 9.6w LED Tape

Features & Benefits:

- **Colour-Changing LED Tape:** Adjust RGB colours for personalised lighting effects.
- **IP65 Rated:** Water-resistant for use in kitchens, bathrooms, or outdoor spaces.
- **Customisable Lengths:** Cuttable every 50mm for tailored installations.
- **High LED Density:** 60 LEDs per metre ensures smooth, vibrant illumination.
- **Easy Installation:** Secures with 3M VHB adhesive backing for a professional finish.

CODE	LENGTH
CFL623	5m

Colour control for RGB tape requires an RGB controller or Smart Driver for colour control.



SELECT COB LED TAPE, SIDEVIEW

The **10W Dotless Sideview LED Tape** delivers **seamless, dotless lighting** with **144 LEDs per metre**. Its **side-emitting design** is ideal for **kitchens, bathrooms, and display spaces**. With an **IP66 rating**, it's perfect for **damp environments**, offering **flexible, tailored installations** for **under-cabinet lighting, plinth lighting, and more**.



Features & Benefits:

- **Dotless illumination:** Achieved with 144 LEDs per metre for smooth, consistent lighting.
- **Side-emitting design:** Perfect for curved surfaces, tight spaces, or indirect lighting applications.
- **IP66 Rated:** Protected against water and dust, ideal for kitchens, bathrooms, and utility rooms.
- **Flexible and cuttable:** Customisable lengths with cut points every 20.8mm for tailored installations.
- **Colour options:** Choose **Warm White (3000K)** for a cosy glow or **Natural White (4000K)** for bright, neutral illumination.
- **Durable and reliable:** High CRI >90 ensures accurate colour rendering and long-lasting performance.
- **Easy installation:** Secures easily with **3M VHB adhesive tape** for a professional finish.

10w LED Tape

CODE	COLOUR
CFL608	Warm White, 3000K
CFL609	Natural White, 4000K




Warm White
3000K



Natural White
4000K



COB
Chip on Board



The **Nova Spotlight** is a super-thin, 12V 3.5W cabinet light, finished in **Milled Aluminium**, designed to provide high-quality lighting with **COB LED technology**. Available in **Warm White (3000K)** and **Natural White (4000K)**, this light is perfect for surface mounting in kitchens or any other space requiring efficient, focused illumination. The **Konnex plug-and-play system** makes installation fast and easy.

Features & Benefits:

- **Super-thin design** allows easy installation in tight spaces, perfect for surface mounting.
- Available in **Milled Aluminium** finish.
- **Warm White (3000K)** and **Natural White (4000K)** options provide flexible lighting solutions for different environments.
- **COB LED technology** offers efficient, long-lasting illumination with minimal energy consumption.
- **Konnex plug-and-play system** simplifies installation, making it quick and hassle-free.
- **Durable finish** ensures longevity and a sleek, modern look for your kitchen or workspace.



Warm White
3000K



Natural White
4000K



Konnex
System



Chip on Board



CODE	COLOUR
CFL642	Warm White, 3000K
CFL643	Natural White, 4000K



Rated Excellent On Trustpilot



SELECT SLIM PANEL LIGHT

1 Lighting 2 Drivers 3 Sensors 4 Accessories

SELECT LED LIGHTING | SLIM PANEL LIGHT

Available finished in Milled Aluminium or Black, the 12V 3W Slim Panel Light is a super-thin, square light designed for surface mounting. It provides diffused Warm White (3000K) or Natural White (4000K) light, making it perfect for kitchens or any space requiring subtle, ambient lighting. The light is easily installed using 3M VHB pads and comes with a 1.5m power lead and a micro connector.

Features & Benefits:

- **Super-thin design** allows for discreet surface mounting.
- **Milled Aluminium** or **Black** finishes for versatile and modern aesthetics.
- Available in **Warm White (3000K)** and **Natural White (4000K)** options to suit different lighting needs.
- **Easy installation** with 3M VHB adhesive pads and simple micro connector setup.
- **Durable finishes** ensure longevity and a sleek, contemporary look.



Warm White
3000K



Natural White
4000K



Chip on Board



Warm White / 3000K

CODE	FINISH
CFL644	Milled Aluminium
CFL646	Black

Natural White / 4000K

CODE	FINISH
CFL645	Milled Aluminium
CFL647	Black



LED LIGHTING

The **Select Round Spot Surface/Recess 12V 2.6W** is designed for both surface and recess mounting, offering versatile and high-quality lighting. Available in **Warm White (3000K)** and **Natural White (4000K)**, with finishes in **Stainless Steel, Black, and Antique Brass**, this light features **COB LED technology** for bright, efficient lighting. It's ideal for use in kitchens or any space requiring focused, stylish illumination. The light is easily installed with the **Konnex plug-and-play system**.

Features & Benefits:

- **Surface and recess mounting** options provide flexibility in installation.
- Available in **Stainless Steel, Black,** and **Antique Brass** for versatile and modern aesthetics.
- **Warm White (3000K)** and **Natural White (4000K)** options provide optimal lighting for various environments.
- **Easy installation** with **Konnex plug-and-play system** and includes driver.
- **IP44 rated (Recessed Only)** for added durability in damp environments, suitable for kitchens and bathrooms.



Warm White
3000K



Natural White
4000K



Konnex
System




Warm White / 3000K

CODE	FINISH
CFL654	Stainless Steel
CFL656	Black
CFL658	Antique Brass

Natural White / 4000K

CODE	FINISH
CFL582	Stainless Steel
CFL657	Black
CFL659	Antique Brass



HOW TO CHOOSE THE RIGHT DRIVER

1

To select the correct driver, simply calculate the total wattage for the LED tape length you are using: 1. Calculate the total wattage by multiplying the wattage per meter by the length of tape (in meters).

2

Choose the driver wattage that matches or exceeds the total wattage needed for your setup.

Example Calculations (using 2.5m length of tape)

Example 1

For CFL610 (4.8W per meter tape)

- 2.5 meters of tape: $4.8W \times 2.5m = 12W$.
- Driver needed: **15W Driver (CFL550)**.

Example 2

For CFL615 (9.6W per meter tape):

- 2.5 meters of tape: $9.6W \times 2.5m = 24W$.
- Driver needed: **30W Driver (CFL551)**.



SELECT STANDARD LED DRIVERS

The **Select LED Drivers** are designed for use with our LED tapes/spotlights, providing efficient and reliable power for various lighting configurations. Available in **8W, 15W, 30W, 50W, and 100W** options, these drivers are perfect for powering LED tapes from low wattage set-ups to larger, more demanding installations. Each driver is equipped with a micro plug connector for easy integration. Choose the correct wattage driver based on the wattage requirements of your LED tape and the desired lighting configuration.

Features & Benefits:

- **Multiple Wattage Options:** Choose from **8W, 15W, 30W, 50W, or 100W** to suit your specific LED tape configuration needs.
- **Micro Plug Connector:** For easy, secure connections with compatible LED tapes and systems.
- **Efficient Power Conversion:** All drivers ensure reliable, efficient power conversion for stable and long-lasting lighting.
- **Versatile Use:** Ideal Kitchen lighting, with the flexibility to power both small and large LED tape set-ups.
- **Supports 200-240AC Input Voltage:** Ensures compatibility with most electrical systems for easy installation.



Drivers With Micro Connectors

CODE	POWER	NUMBER OF CONNECTORS
CFL549	8W	4-Port Connector
CFL550	15W	6-Port Connector
CFL551	30W	6-Port Connector
CFL552	50W	6-Port Connector
CFL553	100W	10-Port Connector



SELECT DIMMABLE LED DRIVERS

The Dimmable LED Drivers are designed to provide efficient power for your LED installations. With wattages ranging from 10W to 50W, these drivers support low to medium-power LED set-ups and are equipped with a 1-meter mains cable for easy connection. Perfect for environments requiring customisable lighting, these drivers offer dimming control for optimal brightness adjustment. The 200-240AC input voltage ensures compatibility with most electrical systems.

These drivers are ideal for use in kitchens, bathrooms, and other areas where adjustable lighting levels are needed, whether for a single light or a series of connected LED lights.

Features & Benefits:

- **Multiple Wattage Options:** Available in 10W, 30W and 50 to suit your specific LED installation needs.
- **Input Voltage:** 200-240AC for compatibility with standard electrical systems.
- **Dimmable Control:** Provides the flexibility to adjust brightness to match your lighting needs.
- **Compact Design:** These drivers are designed to fit easily into tight spaces for hassle-free installation.
- **Easy Installation:** Comes with a 1-meter mains cable for simple setup and connection.



Dimmable Drivers

- With 6-Port micro connector.

CODE	POWER
CFL632	10W
CFL633	30W
CFL634	50W

SELECT LED DRIVERS FOR REMOTE CONTROLS

The 12V LED Drivers are specifically designed to power remote-controlled LED lighting systems, including single colour, CCT, and RGB configurations. Available in 8W, 15W, 30W, 50W, and 100W options, these drivers are engineered to support LED lights and remote control systems, ensuring stable and reliable performance. Each driver features a 1m mains cable and a uni plug connector for seamless compatibility with remote control systems.

Features & Benefits:

- **Multiple Wattage Options:** Available in 8W, 15W, 30W, 50W, and 100W to meet the power requirements of various LED lighting configurations.
- **Remote Compatibility:** Fully compatible with single colour, CCT, and RGB remote control systems.
- **Efficient Power Supply:** Delivers consistent and reliable performance for LED lights connected to remote systems.
- **Universal Plug System:** Equipped with a uni plug connector for easy integration with controllers.
- **Compact and Durable:** Sleek design ensures durability and fits easily into lighting set-ups.
- **Simple Installation:** Includes a 1m mains cable and plug connector for quick and easy installation.



For full functionality, remote controllers & receivers must be ordered separately. See page 201.

Universal Drivers

CODE	POWER
CFL666	8W
CFL667	15W
CFL668	30W
CFL669	50W
CFL670	100W

The **Zigbee Smart LED Driver** is a cutting-edge solution for powering modern kitchen lighting, seamlessly integrating with popular smart home systems such as **Amazon Alexa, Google Home, and Philips Hue**. This driver allows precise dimming and control of single colour, CCT, and RGB lighting set-ups through a Zigbee-enabled system, bringing convenience and advanced functionality to kitchen environments. Available in multiple wattage options, it is ideal for under-cabinet lighting, plinth lights, and accent lighting in kitchens. Its **2-meter mains cable** and **micro plug connector** ensure a quick and secure installation.

Features & Benefits:

- **Smart Home Integration:** Connects with Amazon Alexa, Google Home, and Philips Hue for hands-free voice control and smart scene customisation.
- **Zigbee Connectivity:** Utilises the Zigbee mesh network for reliable and stable communication with compatible controllers and devices.
- **Flexible Wattage Options:** Available in **15W, 30W, and 50W** to meet the specific power requirements of various kitchen lighting set-ups.
- **Precise Control:** Supports dimming and colour adjustment for tailored lighting experiences, from ambient to task-focused illumination.
- **Compact Design:** Sleek, space-saving form factor that fits seamlessly into modern kitchen installations.
- **Versatile Applications:** Powers LED tape, under-cabinet lights, plinth lights, and RGB lighting to elevate kitchen aesthetics.
- **Energy Efficiency:** Minimises energy waste while delivering consistent performance.
- **Easy Installation:** Comes with a **2-meter mains cable** and a micro plug connector for hassle-free setup.



Zigbee Smart Drivers

- With 6-Port micro connector.

CODE	POWER
CFL700	15W
CFL701	30W
CFL702	50W



SELECT DOOR IR SENSOR SWITCHES

1 Lighting

2 Drivers

3 Sensors

4 Accessories

The white Door IR Sensor Switch offers hands-free lighting control for 12V systems. Designed for recess or surface mounting, it features a 50–100mm detection range and supports a maximum load of 60W, making it ideal for cabinets, wardrobes, and other door-activated lighting applications.

Features & Benefits:

- **Hands-Free Control:** Activates lighting automatically when doors are opened.
- **Flexible Installation:** Recess or surface mounted to suit your setup.
- **Customisable Configurations:** Available in single or double sensor options.
- **Reliable Performance:** 50–100mm detection range with up to 60W max load.
- **Compact Design:** Sleek white finish fits seamlessly into modern interiors.



Select Double Door IR Sensor Switch

- Door activated.
- Detection range: 50-100mm.
- Recess / surface mounted.
- Cable length: 1100mm.

CODE

CFL555



Select Single Door IR Sensor Switch

- Door activated.
- Detection range: 50-100mm.
- Recess / surface mounted.
- Cable length: 1100mm.

CODE

CFL554



Call 01280 822 062

or order online at questhardware.co.uk



SELECT DOOR PIR SENSOR SWITCH

The Select PIR Sensor Switch is a motion-activated sensor switch suitable for 12V lighting. It is available in White or Black and features a detection range of 3.5m. This versatile switch can be recess or surface-mounted and is ideal for kitchens, bathrooms, and wardrobes. The light automatically switches off after 30 seconds of inactivity, offering convenience and energy savings.

Features & Benefits:

- **Motion Activation:** Automatically detects movement to turn lights on.
- **Energy Efficient:** Turns off lights after 30 seconds of no motion.
- **Versatile Mounting:** Recess or surface-mount options for flexibility.
- **Aesthetic Options:** Available in White or Black to match your decor.
- **Convenient Installation:** 1500mm sensor cable for extended reach.



Select PIR Sensor Switch

- Motion activated.
- Detection range: 3.5m.
- Recess / surface mounted.
- Cable length: 1500mm.

CODE	FINISH
CFL556	 White
CFL639	 Black



SELECT MOTION IR SWITCH

1 Lighting

2 Drivers

3 Sensors

4 Accessories

The Motion IR switch is designed for seamless control of 12V lighting. With a detection range of 50-100mm, it activates lights effortlessly when motion is detected. Compact and versatile, it can be recess or surface mounted, making it ideal for modern kitchen or bathroom set-ups. The switch comes with a maximum load power of 60W and a 1100mm cable for easy installation.

Features & Benefits:

- **Motion-activated control** for hands-free operation.
- **Compact design** for recess or surface mounting.
- **Wide detection range** of 50-100mm for reliable activation.
- **Supports up to 60W of power**, perfect for 12V lighting systems.
- **1100mm cable** for flexible installation.



Select Motion IR Switch

- Motion activated.
- Detection range: 50-100mm.
- Recess / surface mounted.
- Cable length: 1100mm.

CODE

CFL557

SELECT TOUCH DIMMER

The Touch Dimmer is designed for recess mounting and is compatible with our 15W LED driver. It comes in a sleek silver finish with a 22mm diameter for easy integration into modern lighting set-ups.

Features & Benefits:

- **Recess Mountable:** Perfect for seamless integration into your lighting setup.
- **Easy Compatibility:** Works exclusively with CFL550 15W Driver.
- **Flexible Power Loading:** Supports 12V-24V / 24W-48W power range.
- **Compact Design:** 22mm diameter, ideal for small spaces.
- **Sleek Finish:** Available in a silver finish for a modern look.



Select Touch Dimmer

CODE

CFL641



SELECT MECHANICAL SWITCH

This switch supports DC 12V/24V power supply, with a maximum wattage of 60W. It operates within a temperature range of -20°C to +50°C and features a compact design with dimensions of 23.3mm x 29mm. The 1800mm cable allows for flexible installation, and the switch is dust-proof with an IP20 rating.

Features & Benefits:

- **Power supply:** DC 12V/DC 24V.
- **Max wattage:** 60W.
- **Operating temperature:** -20°C to +50°C.
- **Compact size:** 23.3mm x 29mm.
- **Protection:** IP20 dust-proof.



Select Mechanical Switch

CODE

CFL637




SELECT SMART ALUMINIUM PROFILES


The Select Smart LED Profile is designed for surface-mounted and recessed applications, providing dotless, seamless lighting with 9.6w LED tape. Available in 2m or 3m lengths, with stylish finishes in Milled Aluminium or Black, it is ideal for kitchen lighting, cabinets, and work surfaces. Each profile kit includes an opal diffuser, end caps, and fixing clips for effortless installation.

Features & Benefits:

- **Versatile Design:** Suitable for surface or recessed mounting.
- **Dotless Lighting:** Seamless illumination with 9.6w LED tape.
- **Premium Finishes:** Available in Milled Aluminium or Black for a sleek look.
- **Customisable Lengths:** Choose from 2m or 3m, or butt joint for extended runs.
- **Bathroom-Safe:** Compatible with IP-rated tapes for humid environments.
- **Complete Kit:** Includes diffuser, grey end caps, and fixing clips for easy installation.




Smart Surface Profile




Smart Surface Profile

CODE	FINISH	LENGTH
CFL570	Milled Aluminium	2m
CFL684	Black	2m
CFL675	Milled Aluminium	3m
CFL685	Black	3m



Smart Recessed Profile



Smart Recessed Profile

CODE	FINISH	LENGTH
CFL571	Milled Aluminium	2m
CFL686	Black	2m
CFL677	Milled Aluminium	3m
CFL687	Black	3m

SELECT CLASSIC ALUMINIUM PROFILES


The **Classic Aluminium Profile**, available in **Milled Aluminium** or **Black**, is a stylish solution for achieving professional lighting in kitchens, bathrooms, and wardrobes. Choose between **Surface** or **Recessed** options to create **dotless illumination** using **4.8W or 9.6W COB LED tape**. Ideal for under-cabinet lighting or in-cabinet installations, the profile includes **robust hidden clips** and an **opal diffuser** for a clean, polished finish.

Features & Benefits:

- **Surface or Recessed Mounting** for flexible applications.
- **Dotless Lighting** with COB LED tape for smooth, continuous light.
- **Durable Finishes** in Milled Aluminium or Black for modern aesthetics.
- **Complete Kits:** Includes profile, opal diffuser, end caps, and fixing clips.
- **Lengths** available in 2m and 3m to suit a variety of installations.




Classic Surface Profile




Classic Surface Profile

CODE	FINISH	LENGTH
CFL680	Milled Aluminium	2m
CFL690	Black	2m
CFL681	Milled Aluminium	3m
CFL691	Black	3m



Classic Recessed Profile



Classic Recessed Profile

CODE	FINISH	LENGTH
CFL682	Milled Aluminium	2m
CFL692	Black	2m
CFL683	Milled Aluminium	3m
CFL693	Black	3m

SELECT CORNER ALUMINIUM PROFILE

The Corner Aluminium Profile offers two potential lighting angles, making it a versatile option for illuminating work surfaces in kitchens. With a range of finishes, including Milled Aluminium and Black, this profile blends functionality with style. Suitable for bathrooms when used with IP-rated tapes, the Corner Profile is designed for both practicality and aesthetics.

Features & Benefits:

- Provides two lighting angles depending on the mounting position.
- Ideal for kitchen work surfaces and under-cabinet lighting.
- Compatible with 4.8W or 9.6W LED tape for seamless, dotless illumination.
- Durable finishes available in Milled Aluminium and Black.
- Complete Kit: aluminium profile, opal diffuser, grey end caps, and fixing clips.




Milled Aluminium

CODE	LENGTH
CFL567	2m
CFL679	3m

Black

CODE	LENGTH
CFL688	2m
CFL689	3m



SINGLE-ZONE REMOTES

Simplify your lighting control with our **Single-Zone LED Remotes**, tailored for easy operation in one area. These remotes provide precise dimming, brightness adjustment, and on/off functionality, delivering consistent lighting control for Single Colour, CCT, or RGB lights.

Features & Benefits:

- **Single-Zone Control:** Dedicated to managing one zone.
- **Customised Dimming:** Smooth brightness adjustment for any lighting need.
- **Simple Operation:** Intuitive on/off functionality.
- **Reliable Performance:** Works seamlessly with compatible LED lighting.



CODE	TYPE
CFL660	Single Colour
CFL663	CCT
CFL694	RGB

MULTI-ZONE REMOTE CONTROLS

Features & Benefits:

- **Multi-Zone Functionality:** Control up to 4 zones independently.
- **Custom Scenes:** Save up to 3 scenes per zone for personalised lighting.
- **Versatile Compatibility:** Suitable for use with Single & Multi-Colour lighting systems.
- **Zigbee Connectivity:** Reliable wireless operation with a range of up to 30m.
- **Applications:** Ideal for large kitchens or kitchens with multiple lighting zones.



CODE	TYPE
CFL661	Single Colour
CFL664	CCT
CFL695	RGB

MULTI-ZONE RECEIVERS

Features & Benefits:

- **Multi-Zone Capability:** Control Single Colour LED lights across multiple zones.
- **High Capacity:** Supports up to 288W, with 8A per channel.
- **Zigbee Integration:** Stable connection within a Zigbee mesh network.
- **Receiver & Repeater:** Extends range for reliable performance.
- **Applications:** Perfect for task lighting and accent lighting in kitchens.



CODE	TYPE
CFL662	Single Colour
CFL665	CCT
CFL696	RGB

For Full Functionality of the Multi-Zone Remotes & Receivers, Universal Drivers must be ordered separately. See pages 190 - 193.

COB STRIP AND POWER CONNECTORS

1 Lighting

2 Drivers

3 Sensors

4 Accessories

Effortlessly connect non-IP rated COB LED tapes with the 2m COB Strip Power Connector. Designed to supply power from a remote source, it ensures reliable performance for your LED setup.

Features & Benefits:

- **2m length** allows you to connect LED tapes to power sources up to **2m away**.
- **Micro plug** for **secure and easy connections**.
- **Perfect for installations** where the power source is located at a distance.
- **Reliable power supply** for non-IP rated COB LED tapes.
- **Quick installation** with a straightforward setup.



COB Strip Power Connector, 2m

CODE

CFL671

The 50mm COB Strip-to-Strip Connector is perfect for extending two lengths of COB LED tape while maintaining a neat and small gap. It provides a reliable and tidy connection.

Features & Benefits:

- **50mm gap** allows for **heat dissipation** and minimal space between tape segments.
- Ideal for **extending lighting runs** with a tidy and compact design.
- **Solder-free connection**, making installation quick and easy.
- **Reliable and flexible** for multiple set-ups.
- Ensures a **neat, professional finish** in lighting installations.



COB Strip to Strip Power Connector, 50mm

CODE

CFL672

The Butt COB Strip Connector connects two COB LED tape lengths seamlessly, eliminating any visible gaps for a smooth and uninterrupted lighting effect.

Features & Benefits:

- **Seamless connection** ensures no visible gap between tape segments for a continuous light effect.
- **Compact design (16mm x 9mm x 3mm)** for easy integration in tight spaces.
- Ideal for **decorative and task lighting** requiring a clean finish.
- **Quick and easy setup** with no soldering needed.
- **Reliable, strong connection** for long-lasting use.



Butt COB Strip Connector

CODE

CFL673